

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
29 March 2001 (29.03.2001)


PCT

(10) International Publication Number
WO 01/22694 A1

- (51) International Patent Classification⁷: H04M 1/02, 1/725
- (21) International Application Number: PCT/IB00/01320
- (22) International Filing Date:
19 September 2000 (19.09.2000)
- (25) Filing Language: Italian
- (26) Publication Language: English
- (30) Priority Data:
MI99A001941 20 September 1999 (20.09.1999) IT
- (71) Applicant (for all designated States except US): TELIT MOBILE TERMINALS S.P.A. [IT/IT]; Viale Stazione di Prosecco, 5/b, I-34010 Sgonico (IT).
- (72) Inventor; and
(75) Inventor/Applicant (for US only): ZANZI, Massimo [IT/IT]; Telit Mobile Terminals S.p.A., Viale Stazione di Prosecco, 5/b, I-34010 Sgonico (IT).
- (74) Agent: DINI, Roberto; Via Castagnole, 59, I-10060 None (IT).
- (81) Designated States (national): AE, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

[Continued on next page]

(54) Title: PORTABLE CELLULAR TELEPHONE AND COMMUNICATION SYSTEM THEREOF



(57) Abstract: Portable cellular telephone, comprising means for performing subscriber interface functions (12, 13, 14, 15) and a transmitting and receiving section (17, 24) for a cellular telephone network (31), the means for performing subscriber interface functions (12, 13, 14, 15) being gathered in a first part (11) of said portable cellular telephone, whereas the transmitting and receiving section (17, 24) for a cellular telephone network (31) is in a second part (16) of said portable cellular telephone, said first (11) and second part (16) being in bidirectional communication with each other when separated. According to the invention, said first part comprises means for wireless communication with a further station or network (22, 32).

WO 01/22694 A1

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— With international search report.

— Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

PORTABLE CELLULAR TELEPHONE AND COMMUNICATION SYSTEM THEREOF

DESCRIPTION

The present invention relates to a portable cellular telephone and relevant communication system with telematic services supplied by telecommunications stations and/or networks.

In recent times, telecommunications networks have experienced an extremely fast development spreading to every society level and making available to subscribers a large number of remote access services through special terminals.

Said telematic services range from Internet connectivity to interactions with other
5 network types, which may be identified by a wide geographical coverage, such as a cellular telephone network, or have a local diffusion, such as a company network, or just be simple stations for supplying said services, such as a computer. Also the services having access through special smartcards connected with the terminals are included in this range of telematic services.

10 Therefore, subscribers need to use a plurality of terminals to provide interaction with said telematic services, involving consequent encumbrance and managing problems.

In addition, some of these terminals, in particular those using radio transmissions, such as cellular telephones, expose the subscriber's body to very close radio emissions. Therefore, it is obvious how such exposures are dangerous for the subscriber and how,
15 increasing the number of terminals determining such harmful radio emissions in contact with the subscriber, would be extremely harmful.

It is the object of the present invention to solve the above drawbacks and provide a portable cellular telephone and relevant communication system with telematic services supplied by telecommunications stations and/or networks, having a more efficient and
20 improved performance with respect to existing solutions.

In this frame, it is the main object of the present invention to provide a portable cellular telephone and relevant communication system with telematic services supplied by telecommunications stations and/or networks allowing concentration of the terminals required for subscriber's interaction with the telematic services in one terminal alone,
25 which is not harmful for the subscriber.

In order to achieve such aims, it is the object of the present invention to provide a portable cellular telephone and relevant communication system with telematic services supplied by telecommunications stations and/or networks, incorporating the features of the annexed claims, which form an integral part of the description herein.

5 Further objects, features and advantages of the present invention will become apparent from the following detailed description and annexed drawings, which are supplied by way of non limiting example, wherein:

- Fig. 1 shows an exploded prospective view of a portable cellular telephone according to the present invention;
- 10 - Fig. 2 shows a side view of the telephone of Fig. 1;
- Fig. 3 shows a block diagram of the parts forming the telephone of Fig. 1;
- Fig. 4 shows a possible flow diagram of the portable cellular telephone according to the present invention;
- Fig. 5 shows a communication system with telematic services supplied by
- 15 telecommunications stations and/or networks according to the present invention.

The inventive idea lies in the use of a cellular telephone as a communication terminal with further telecommunications networks or stations associated to telematic services, which cellular telephone is apt to perform usual common terminal functions towards the cellular telephony network. According to the present invention, this cellular telephone

20 can be separated in two sections, a first part concentrating the subscriber interface functions, said first section also comprising transceiving means towards further telecommunications networks or stations associated to distribution of telematic services, whereas the second part of the cellular telephone concentrates the power functions associated to the cellular telephone network, which are potentially harmful for the

25 subscriber.

So, Figure 1 is representing a portable apparatus for cellular telephone, indicated in general with 10, which consists of a first part 11, comprising the telephone audio section, with earphone 12 and microphone 13, a keyboard 14 and an LCD display 15, i.e. the functions of subscriber interface functions, and a second part 16 containing the

30 entire power radio section for reception and transmission from and to the cellular network. To this purpose, the second part comprises an appropriate antenna 17 and a GSM dual-band DCS transceiver. For simplicity's sake, reference will be made to GSM

system; however, any other standard already applied nowadays or to be applied in the future (such as UMTS standard) can be used. The antenna may be either "stubby" or "patch" type.

The first and second parts can be assembled together and separated from each other by means of clips indicated by way of example with 18. When separated, the first and second parts are in communication with each other by means of a wireless bi-directional connection.

This connection can be advantageously obtained by a low power radio link, such as at 2.4 GHz frequency with internal antennas, for example provided directly in the printed circuits of the apparatus. Connection can be obtained with any desired protocol, preferably an encrypted -protocol, obtaining e.g. a BlueTooth standard radio link.

When both parts are assembled, they may have a bidirectional connection through a pair of appropriate connectors 19, joining automatically to each other.

The second part 16 may provide a connector 20 for recharging its internal batteries and also the internal batteries of the first part 11 through the connectors 19.

As shown in Fig. 4, the second part 16 (also called "power transceiving part) can be equipped with a further interfacing connector 21 to a personal computer 22, to allow a direct digital data exchange with the cellular network (such as to use the second part 16 for a "modem" function). The first part 11, or "control and audio part", may advantageously comprise an interface 23, such as an infrared one, in particular IrDA, for data exchange with the personal computer, i.e. the telematic services station.

Fig. 3 shows a preferred embodiment of the apparatus according to the present invention.

In this preferred embodiment, the power part 16 comprises the transceiver section 24 (GSM-DCS or other) mentioned above – which is no further described nor represented being a common one and easily conceivable by a man skilled in the art – and a connector 25 for a subscribersubscriber identifying module, such as SIM or UIM, to get access to the network. The part 16 may also comprise a buzzer 26, to be activated by the part 11 to facilitate its research should it get lost, and a vibration call indicator 27, which is useful to signal the subscriber about the arrival of a call when both parts are assembled forming one sole apparatus. In addition (or alternatively) also the part 11 can have its own vibration call indicator 28. This is useful whenever the power section, for

example, is located somewhere else (or placed in a case) and only the part 11 is kept in one's pocket.

Always with reference to Fig. 3, besides the already mentioned earphone 12, microphone 13, display 15 and keyboard 14, the part 11 may also comprise a connector
5 for SmartCard 29, i.e. wherein a Smartcard can be housed for enabling access to telematic services, and a connector for Multimedia Card 30, i.e. a Flash data memory card or analogous.

Fig. 5 shows a communication system with telematic services supplied by telecommunication stations and/or networks, according to the present invention.

10 As it can be seen in this figure, several telephones according to the present invention (each one consisting of their respective parts 11,16) can carry on a dialog with the cellular network 31, to which also conventional cellular telephones can have access as well. In addition, the telephones according to the present invention may have their part
15 11 connected (as short distance) to a private station or network 32 through the interface 23 or other wireless communicating means. All units 11 or just the enabled units 11 may connect to this private station or network, e.g. through the SmartCard 29 or Multimedia Card 30.

For example, the station 32 may be installed in the house of the cellular telephone subscriber so as to have a private communication line between home and portable
20 telephone, or be installed with companies wanting an internal communication system (with reserved access for company employees only) or a reserved communication system with customers, who can subscribe the service or obtain it as a "bonus". The latter utilization may be advantageous e.g. for banks.

From the above description the features of the present invention as well as the relevant
25 advantages thereof are clear.

Through its separable control and audio part, the portable cellular telephone according to the present invention is advantageously apt to interact not only with the standard cellular network, but also with a further station or network through further wireless
30 connecting means arranged on said control and audio part. Advantageously, the subscriber can utilize said control and audio part to have access also to other services differing from the cellular telephony network, such as company services, bank services or household network services. Moreover, availability of smartcards and multimedia

card connectors allow configuration of said control and audio part like a real true multiservice terminal.

The portable cellular telephone according to the present invention can be separated, whenever desired, in a power part to be placed at distance from the subscriber body, and a control and audio part with all subscriber interface functions usually available in a conventional cellular telephone, without any high power radio irradiations located near the subscriber's body.

The portable cellular telephone according to the present invention will advantageously use a radio transmission for connection between the two telephone parts, whose power is much lower than required for GSM transmission.

It is obvious that many changes are possible for the man skilled in the art to the portable cellular telephone and communication system with telematic services supplied by telecommunications stations and/or networks thereof described above by way of example, without departing from the novelty spirit of the innovative idea, and it is also clear that in practical actuation of the invention the components may often differ in form and size from the ones described and be replaced with technical equivalent elements.

For example, other functions and accessories may be provided, such as an FM radio, MP3 audio decoder functions, Voice Memo and Dialling, Wap Browser, etc.

The use of a standard radio link between the two parts will also allow connection of the control and audio module, other than connection with its own power part., to other equipment compatible with this standard. The power part 16 can also be used on its own as a GSM transceiving unit connected to a computer (advantageously a portable one) for practical data exchange through the network.

CLAIMS

1. A portable cellular telephone, comprising means for performing subscriber interface functions (12, 13, 14, 15) and a transmitting and receiving section (17, 24) for a cellular telephone network (31), the means for performing subscriber interface functions (12, 13, 14, 15) being gathered in a first part (11) of said portable cellular telephone, whereas the transmitting and receiving section (17, 24) for a cellular telephone network (31) is in a second part (16) of said portable cellular telephone, said first (11) and second part (16) being in bidirectional communication with each other when separated, characterized in that said first part comprises means for wireless communicating with a further station or network (22, 32).
2. A portable cellular telephone, according to claim 1, characterized in that the wireless bidirectional communication occurs by radio.
3. A portable cellular telephone, according to claim 2, characterized in that said first part (11) and second part (16) are assembled together releasable from each other.
4. A portable cellular telephone, according to claim 3, characterized in that when said parts are assembled, wireless bidirectional communication is replaced by a direct transmission through an electric connection that establishes upon mutual assembly of said first part (11) and said second part (16).
5. A portable cellular telephone, according to claim 4, characterized in that the second part (16) comprises a connector (22) for the reception and transmission of digital data through the cellular network (31).
6. A portable cellular telephone, according to claim 1, characterized in that the wireless communicating means of the first part (11) consist of an infrared connection (23).
7. A portable cellular telephone, according to claim 1, characterized in that said infrared connection (23) puts the first part (11) in communication with a computer (22).
8. A portable cellular telephone, according to claim 1, characterized in that said wireless communicating means of the first part (11) consist of a short distance connection with the station or network (32).
9. A portable cellular telephone, according to claim 1, characterized in that said wireless communicating means of the first part (11) consist of the standard radio link utilized for the bidirectional communication with the second part (16).

10. A portable cellular telephone, according to claim 1, characterized in that said first part (11) comprises a SmartCard connector (29) and or Multimedia Card connector (30).

11. A portable cellular telephone, according to claim 1, characterized in that said
5 means for performing subscriber interface functions (12, 13, 14, 15) comprise a keyboard, a display and audio functions.



12. A portable cellular telephone, according to claim 1, characterized in that it comprises FM radio functions and/or MP3 audio decoder functions and/or Voice Memo and Dialling and/or Wap Browser functions.

10 13. A communication system with telematic services supplied by telecommunication stations and/or networks, which provides utilization of subscriber terminals for information exchange with said telecommunication stations or networks, characterized in that as a subscriber terminal it uses a portable cellular telephone comprising means for performing subscriber interface functions (12, 13, 14, 15), a transmitting and
15 receiving section (17, 24) for a cellular telephone network (31), said means for performing subscriber interface functions (12, 13, 14, 15) being gathered together in a first part (11) of said portable cellular telephone, whereas the transmitting and receiving section (17, 24) for a cellular telephone network (31) is in a second part (16) of said portable cellular telephone, said first part (11) and second part (16) being in wireless
20 bidirectional communication to each other when they are separated, and that said first part comprises wireless means (23) for communicating with a further station or network (22, 32), said system comprising at least one of the telecommunication stations or networks (32) apt to communicate directly and wireless with said wireless communicating means (23).

25 14. A communication system with telematic services supplied by telecommunication stations and/or networks, according to claim 13, characterized in that the station or telecommunication network (22, 32) is a company internal communication station or network and/or a station or network for enabled customers.

15. A communication system with telematic services supplied by
30 telecommunication stations and/or networks, according to claim 14, characterized in that said company internal telecommunication station or network and/or station or network for enabled customers is a bank services network.

16. A communication system with telematic services supplied by telecommunication stations and/or networks, according to claim 13, characterized in that said telecommunication station or network (22,32) is an internal household communication station or network.






Fig. 3




Fig. 4

3/3




Fig. 5

INTERNATIONAL SEARCH REPORT

Inte. onal Application No

PCT/IB 00/01320

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 H04M1/02 H04M1/725

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 IPC 7 H04M H04B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 781 018 A (NEDERLAND PTT) 25 June 1997 (1997-06-25) column 3, line 59 -column 5, line 29; figures 1-3	1-3,6
A	---	4,11,13
X	EP 0 840 465 A (NOKIA MOBILE PHONES LTD) 6 May 1998 (1998-05-06) column 13, line 15-26; figure 2 column 14, line 34 -column 15, line 23; figure 4 column 18, line 57 -column 19, line 33; figure 8	1,2,11
A	---	1-4
	DE 298 11 106 U (SARACENI RODOLFO) 3 December 1998 (1998-12-03) page 3, line 1-15 page 5, line 79-91; figures 1,4 ---	
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

2 March 2001

Date of mailing of the international search report

09/03/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

de Biolley, L

INTERNATIONAL SEARCH REPORT

Inte. onal Application No

PCT/IB 00/01320

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 665 655 A (HEWLETT PACKARD CO) 2 August 1995 (1995-08-02) abstract ---	7
A	US 5 148 471 A (METROKA MICHAEL P ET AL) 15 September 1992 (1992-09-15) abstract -----	12

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. .onal Application No

PCT/IB 00/01320

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
EP 0781018	A	25-06-1997	NL	1001967 C	24-06-1997
EP 0840465	A	06-05-1998	FI	964399 A	15-06-1998
			JP	10163917 A	19-06-1998
DE 29811106	U	03-12-1998	DE	19726545 A	24-12-1998
			EP	0887984 A	30-12-1998
EP 0665655	A	02-08-1995	US	5446783 A	29-08-1995
			JP	7226807 A	22-08-1995
			SG	66219 A	20-07-1999
US 5148471	A	15-09-1992	AT	167345 T	15-06-1998
			AU	626475 B	30-07-1992
			AU	6647390 A	13-06-1991
			CA	2045399 A,C	21-05-1991
			CN	1052016 A,B	05-06-1991
			DE	69032401 D	16-07-1998
			DE	69032401 T	03-12-1998
			DK	454814 T	29-03-1999
			EP	0454814 A	06-11-1991
			ES	2116985 T	01-08-1998
			SG	52277 A	28-09-1998
			WO	9107835 A	30-05-1991